Phosphorus, Sulfur and Silicon and the Related Elements 2018 vol.193 N1, pages 53-62

# The interaction of 2-(5-methyl-2-phenyl-2h-1,2,3-diazaphosphol-4-yl)-4h-benzo[e]-1,3,2-dioxaphosphinin-4-one with activated carbonyl compounds. Synthesis of bis-heterocyclic systems containing di- and tetracoordinated phosphorus

*Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia*

## Abstract

© 2018 Taylor & Francis Group, LLC. The interaction of 2-(5-methyl-2-phenyl-2H-1,2,3-diazaphosphol-4-yl)-4H-benzo[e]-1,3,2-dioxaphosphinin-4-one with mesoxalic and trifluoropyruvic acids ethyl and diethyl esters, hexafluoroacetone and chloral proceeds with an exclusive participation of P(III) atom and allows to obtain 2-(5-methyl-2-phenyl-2H-1,2,3-diazaphosphol-4-yl)-derivatives of 1,4,2- and 1,3,2-dioxaphosphepines as well as dichlorovinylphosphonate, being the product of Perkow reaction in the case of chloral.

http://dx.doi.org/10.1080/10426507.2017.1390459

## Keywords

benzodioxaphosphepine, benzodioxaphosphinine, chloral, Diazaphosphole, hexafluoroacetone, Perkow reaction

## References

[1] Corbridge, D. E. C., Phosphorus 2000. Chemistry, Biochemistry and Technology, 6th Ed.; CRC Press, Taylor & Francis Group, Boca Raton, London, New York, 2013; p. 1473.

[2] Phosphorus-Carbon Heterocyclic Chemistry. The Rise of a New Domain. Ed. by F., Mathey. Elsevier Ltd., 2001; p. 846.

[3] Quin, L., A Guide to Organophosphorus Chemistry; John Wiley & Sons, Chichester, Weinheim, Edinburg, Singapore, Toronto, 2000; p. 408.

[4] Edmundson, R. S., Properties and reactions of phosphonic and phosphinic acids and their derivatives. In: Chemistry of Organophosphorus Compounds. Ed by F.R., Hartley; John Wiley & Sons, Chichester, New York, Brisbane, Toronto, Singapore, 1996; Vol. 4, pp. 495- 652.

[5] Samota, M. K.,; Jhajharia, P.,; Seth, G., Heteroat. Chem. 2009, 20, 309- 315. doi: 10.1002/hc.20551.

[6] Nicholson, J. W.,; Singh, G., Biomaterials 1996, 17, 2023- 2030. doi: 10.1016/0142-9612(96)00012-9.

[7] Murugavel, R.,; Choudhury, A.,; Walawalkar, M. G.,; Pothiraja, R.,; Rao, C. N. R., Chem. Rev. 2008, 108, 3549- 3655. doi: 10.1021/cr000119q.

[8] Romanenko, V. D.,; Kukhar, V. P., Chem. Rev. 2006, 106, 3868- 3935. doi: 10.1021/cr051000q.

[9] Marinetti, A.,; Carmichael, D., Chem. Rev. 2002, 102, 201- 230. doi: 10.1021/cr990135r.

[10] Mironov, V. F.,; Mavleev, R. A.,; Ofitserov, E. N.,; Sinyashina, T. N.,; Konovalova, I. V.,; Pudovik, A. N., Russ. Chem. Bull. Int. Ed. 1991, 40, 1488- 1490. doi: 10.1007/BF00961262.

[11] Mironov, V. F.,; Mavleev, R. A.,; Burnaeva, L. A.,; Konovalova, I. V.,; Pudovik, A. N.,; Chernov, P. P., Russ. Chem. Bull. Int. Ed. 1993, 42, 528- 530. doi: 10.1007/BF00698445.

[12] Mironov, V. F.,; Tsepaeva, O. V.,; Enikeev, K. M.,; Konovalov, A. I., Russ. J. Gen. Chem. 2000, 70, 484- 485.

[13] Tsepaeva, O. V.,; Mironov, V. F.,; Enikeev, K. M.,; Konovalov, A. I., Russ. J. Gen. Chem. 2000, 70, 482- 483.

[14] Neda, I.,; Plinta, H.J.,; Fisher, A.,; Jones, P.G.,; Schmutzler, R., J. Fluorine Chem. 1995, 71, 65- 74. doi: 10.1016/0022-1139(94)03154-R.

[15] Kaukorat, T.,; Neda, I.,; Thönessen, H.,; Jones, P. Z., Naturforsch. 1996, 51b, 1501- 1510.

[16] Neda, I.,; Kaukorat, T.,; Schmutzler, R.,; Niemeyer, V.,; Kutsher, B.,; Pohe, I.,; Engel, I., Phosphorus, Sulfur Silicon Relat. Elem. 2000, 162, 81- 218. doi: 10.1080/10426500008045221.

[17] Jayashankar, B.,; Lokanath, R. K. M.,; Baskaran, N.,; Sathish, H. S., Eur. J. Med. Chem. 2009, 44, 3898- 3902. doi: 10.1016/j.ejmech.2009.04.006.

[18] Padmavathi, V.,; Nagendra, M. A. V.,; Mahesh, K.,; Padmaja, A., Chem. Pharm. Bull. 2008, 56, 815- 820. doi: 10.1248/cpb.56.815.

[19] Jayashankar, B.,; Lokanatha, R. K. M., Eur. J. Chem. 2008, 5, 309- 315.

[20] Jikyo, T.,; Schatz, J.,; Maas, G., J. Phys. Org. Chem. 2003, 16, 504- 512. doi: 10.1002/poc.625.

[21] Bansal, R. K.,; Gupta, N.,; Kumawat, S. K., Curr. Org. Chem. 2007, 11, 33- 47. doi: 10.2174/138527207779316499.

[22] Guo, X.,; Feng, L.,; Wang, Q.,; Li, Z.,; Tao, F. J., Heteroat. Chem. 2006, 43, 353- 359. doi: 10.1002/jhet.5570430215.

[23] Arbuzov, B. A.,; Dianova, E. N.,; Galiaskarova, R. T., Russ. Chem. Bull. Int. Ed. 1987, 36, 1271- 1274. doi: 10.1007/BF00956678.

[24] Mikoluk, M. D.,; McDonald, R.,; Cavell, R. G., Inorg. Chem. 1999, 38, 4056- 4063. doi: 10.1021/ic980622+.

[25] Bansal, R. K.,; Heinicke, J., Chem. Rev. 2001, 101, 3549- 3578. doi: 10.1021/cr000434c.

[26] Bansal, R. K.,; Gupta, N.,; Gupta, N., Heteroat. Chem. 2004, 15, 271- 287. doi: 10.1002/hc.20002.

[27] Phosphorous Heterocycles I. Ed by R. R., Gupta; Springer-Verlag, Berlin, Heidelberg; Top. Heterocycl. Chem. 2009, Vol. 20, p. 314.

[28] Schöller, W. W.,; Niecke, E., J. Chem. Soc. Chem. Comm. 1982, 11, 569- 570. doi: 10.1039/C39820000569.

[29] Bansal, R. K.,; Gupta, N.,; Kumawat, S. K., Curr. Org. Chem. 2007, 11, 33- 47. doi: 10.2174/138527207779316499.

[30] Khusainova, N. G.,; Garipova, G. R.,; Zyablikova, T. A.,; Cherkasov, R. A., Russ. J. Gen. Chem. 2002, 72, 323. doi: 10.1023/A:1015414827539.

[31] Khusainova, N. G.,; Mostovaya, O. A.,; Azancheev, N. M.,; Litvinov, I. A.,; Krivolapov, D. B.,; Cherkasov, R. A., Mendeleev Commun. 2004, 14, 212- 214. doi: 10.1070/MC2004v014n05ABEH001926.

[32] Mikoluk, M. D.,; Gavell, R. G., Inorg. Chem. 1999, 38, 1971- 1978. doi: 10.1021/ic9802092.

[33] Mikoluk, M. D.,; McDonald, R,; Gavell, R. G., Inorg. Chem. 1999, 38, 2791- 2801. doi: 10.1021/ic9802101.

[34] Weinmaier, J. H.,; Brunnhuber, G.,; Schmidpeter, A., Chem. Ber. 1980, 113, 2278- 2290. doi: 10.1002/cber.19801130621.

[35] Schmidpeter, A.,; Karaghiosoff, K., Multiple Bonds and Low Coordination in Phosphorus Chemistry. Georg Thieme, Stuttgart, 1990, p. 496.

[36] Mironov, V. F.,; Litvinov, I. A.,; Gubaidullin, A. T.,; Aminova, R. M.,; Burnaeva, L. M.,; Azancheev, N. M.,; Filatov, M. E.,; Konovalova, I. V., Russ. J. Gen. Chem. 1998, 68, 1027- 1042.

[37] Mironov, V. F.,; Konovalova I. V.,; Mavleev R. A.,; Mukhtarov A. S.,; Ofitserov E. N.,; Pudovik A. N., Russ. J. Gen. Chem. 1991, 61, 1997- 2001.

[38] Savostina, L. I.,; Aminova, R. M.,; Mironov, V. F., Russ. J. Gen. Chem. 2006, 76, 1031- 1040. doi: 10.1134/S107036320607005X.

[39] Schöller, W.,; Niecke, E., J. Chem. Soc. Chem. Commun. 1982, 11, 569- 570. doi: 10.1039/C39820000569.

[40] Zverev, V. V.,; Mironova, O. Y.,; Bazhanova, Z. G.,; Mironov, V. F., Zh. Obshch. Khim. (Russ. J. Gen. Chem.). 1993, 11, 2573- 2584.

[41] Mironov, V. F.,; Burnaeva, L. A.,; Konovalova, I. V.,; Chlopushina, G. A.,; Mavleev, R. A.,; Chernov, P. P.,; Pudovik, A. N., Russ. J. Gen. Chem. 1993, 63, 17- 21.

[42] Konovalova, I. V.,; Burnaeva, L. A.,; Mironov, V. F.,; Chlopushina, G. A.,; Pudovik, A. N., Russ. J. Gen. Chem. 1994, 64, 57- 61.

[43] Mironov, V. F.,; Gubaidullin, A. T.,; Konovalova, I. V.,; Ivkova, G. A.,; Litvinov, I. A.,; Burnaeva, L. M.,; Zyablikova, T. A.,; Romanov, S. V.,; Mavleev, R. A., Russ. J. Gen. Chem. 2000, 70, 1707- 1726.

[44] Mironov, V. F.,; Ivkova, G. A.,; Abdrakhmanova, L. M.,; Mironova, E. V.,; Krivolapova, D. B.,; Konovalova, I. V., Mendeleev Comm. 2011, 21, 282- 284. doi: 10.1016/j.mencom.2011.09.018.

[45] Sheldrick, G. M., SADABS, 1997, Bruker AXS Inc., Madison, WI-53719, USA.

[46] Sheldrick, G. M., SHELX-97. Programs for crystal structure analysis (Release 97-2)–Germany: University of Gottingen. 1997. Vol. 1, 2.

[47] Farrugia, L. J., J. Appl. Cryst. 1999, 32, 837- 838. doi: 10.1107/S0021889899006020.

[48] APEX2 (Version 2.1), SAINTPlus. Data Reduction and Correction Program Version 7.31A, Bruker Advansed X-ray Solutions, BrukerAXS Inc., Madison, Wisconsin, USA, 2006.

[49] Spek, A. L., Acta Crystallogr. Sec. A. 1990, 46, 34- 41.

[50] Farrugia, L. J., J. Appl. Cryst. 1997, 30, 565- 566. doi: 10.1107/S0021889897003117.